

Date: November 15th, 2004Former date: March 25th, 2003

1. IDENTIFICATION OF THE CHEMICAL AND OF THE MANUFACTURER, IMPORTER OR OTHER UNDERTAKING			
1.1 Identification of the substance or preparation			
Trade name RVS Technology Engine Treatment, RVS Technology Transmission Treatment, RVS Technology Gear-box Treatment, RVS Technology Differential Treatment, RVS Technology Power Steering Treatment, RVS Technology Gun Treatment, RVS Technology Professional Gel, RVS Technology Gel (gel in tube or dosimeter pump bottle with or without pump)			
Code of the preparation -			
1.2 Use of the chemical			
1.2.1 The intended uses of the chemical Product or part of a product for restoration and modification of metal friction surfaces of equipment of different types			
1.2.2 Standard industrial classification (SIC)		232	
1.2.3 Use categories (UC62)		55	
1.2.4 The chemical can be used by the general public		<input checked="" type="checkbox"/>	
1.2.5 The chemical is used by the general public only		<input type="checkbox"/>	
1.3 Identification of the manufacturer, importer or other undertaking			
1.3.1 Manufacturer, importer, other undertaking		RVS-Tec Oy	
1.3.2 Contact information:			
Street address		Pultitie 6	
Postcode and post office		00880 Helsinki	
Post-office box			
Postcode and post office			
Telephone number		+358-(0)9-7599 010	
Telefax		+358-(0)9-7599 0111	
Y code		1545348-3	
1.3.3 Information on foreign manufacturer			
1.4 Emergency telephone			
1.4.1 Telephone number, name and address			
+358-(0)9-2414 392 or +358-(0)9-4711, Helsinki University Central Hospital, Poison Information Centre, Stenbäckinkatu 11, 00920 Helsinki, Finland +358-400-939399, RVS-Tec Oy, Finland			
2. COMPOSITION AND INFORMATION ON INGREDIENTS			
2.1 Hazardous ingredients			
2.1.1 CAS number or other code	2.1.2 Name of the ingredient	2.1.3 Concentration	2.1.4 Warning symbol, R phrases and other data on the ingredient
68037-01-4/ 101316-72-7/ 72623-87-1	Basic oil - unspecified	50 – 90 %	- DMSO < 3 % (IP346)
****	Polyalphaolephine-based lubrication grease with silica thickener	10 – 50 %	-
2.1.5	There has been a request for confidentiality of a substance according to Annex 3 of the decree		<input type="checkbox"/>
2.1.6	A substance not dangerous has been indicated as confidential		<input type="checkbox"/>

Trade name: RVS Technology Engine Treatment, RVS Technology Transmission Treatment, RVS Technology Gearbox Treatment, RVS Technology Differential Treatment, RVS Technology Power Steering Treatment, RVS Technology Gun Treatment, RVS Technology Professional Gel, RVS Technology Gel

Date: November 15th, 2004

Former date: March 25th, 2003

2.1.7 Other information

Description: Mixture of polyalphaolephine-based lubrication grease with silica thickener, natural minerals (serpentine) and additives on basis of synthetic oil.

3. HAZARDS IDENTIFICATION

HUMAN HEALTH HAZARDS: The product has not been classified as hazardous. Oil mist irritates eyes and respiratory tract. A long-term or repeated skin contact may desiccate and irritate the skin and cause skin inflammation.

BURN AND EXPLOSION HAZARDS: Not classified as flammable, but will burn.

ENVIRONMENTAL HAZARDS: Danger or pollution of soil and groundwater. Not readily biodegradable. Bioaccumulation is possible.

See also 5, 11, and 12.

4. FIRST AID MEASURES

4.1 Special instructions

-

4.2 Inhalation

A person that has inhaled vapour is removed from predisposition, kept warm and in rest. Give oxygen or mouth-to-mouth resuscitation if needed. Get medical assistance after significant predisposition.

4.3 Skin contact

Remove contaminated clothing and wash affected skin with soap and copious quantities of water. If persistent irritation occurs, obtain medical attention.

4.4 Eye contact

Flush eyes immediately with copious quantities of water, including under eyelids, for 15 minutes. If persistent irritation occurs, obtain medical attention.

4.5 Ingestion

Wash out mouth with water and obtain medical attention. **DO NOT INDUCE VOMITING.**

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Foam and dry chemical powder. Carbon dioxide (CO₂), sand or earth for small fires.

5.2 Extinguishing media which must not be used for safety reasons

Water. Use of Halon extinguisher should be avoided for environmental reasons

5.3 Special exposure hazards in a fire

-

5.4 Special protective equipment for fire-fighters

Breathing apparatus with pressurised air and full protection clothing.

5.5 Other instructions

-

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Unauthorised persons must be evacuated from the area

See Handling at 7.1.

See Personal protection at 8.3.

6.2 Environmental precautions

Prevent from spreading or entering into drain, ditches, groundwater, rivers, and lakes by using sand, earth, or other appropriate barriers and absorption materials and by collecting the product. Inform local authorities of the accident. Stop the leak if possible without risks.

6.3 Methods for cleaning up

Start removing liquid product and contaminated soil immediately. Small quantities can be absorbed in an absorbing material. Dispose waste containing the product as indicated in Clause 13.

6.4 Other instructions

Immediately inform the local authorities of accident.

Trade name: RVS Technology Engine Treatment, RVS Technology Transmission Treatment, RVS Technology Gearbox Treatment, RVS Technology Differential Treatment, RVS Technology Power Steering Treatment, RVS Technology Gun Treatment, RVS Technology Professional Gel, RVS Technology Gel

Date: November 15th, 2004

Former date: March 25th, 2003

7.	HANDLING AND STORAGE
7.1	Handling Isolate from open fire, hot surfaces and ignition sources. When handling product in drums, safety footwear and gloves should be worn and proper handling and protection equipment should be used in order to prevent, among other things, repeated or continuous skin contact. Prevent spillages. If needed, use personal protection devices.
7.2	Storage Keep tightly closed in cool, dry, well-ventilated place in the position specified by the package markings (vertical position) in the original packing. Avoid direct sunlight, heat sources, and strong oxidising agents. Take precautions to prevent the product to get to sewer systems, soil and waterways. Storage temperatures: 0 °C (32 °F) minimum. Storage temperatures: 40 °C (104 °F) maximum. Do not store consumer packages outdoors.
7.3	Specific use(s) The mixture is mixed, according to separate instructions, with the lubricant used in the mechanism to be treated and they are thoroughly stirred/shaken.
8.	EXPOSURE CONTROLS/PERSONAL PROTECTION
8.1	Exposure limit values
8.1.1	HTP values Oil mist in the air of the working zone 5 mg/m ³ (8 h)
8.1.2	Other limit values Predisposition control method: Oil mist: NIOSH Method 5026, SFS-EN 689.
8.1.3	Limit values in other countries
8.2	Exposure controls
8.2.1	Occupational exposure controls Organise appropriate ventilation. Avoid repeated or prolonged skin contact and oil mist inhalation. Wear personal protection and/or local ventilation if needed. Wash hands before break and immediately after handling the product.
8.2.1.1	Respiratory protection Not normally required if ventilation is sufficient. Oil mist: use a respirator fitted with a combined A2/P2 filter (for organic gases and solvent vapours/dust).
8.2.1.2	Hand protection Nitrile rubber or PVC gloves. Replace the gloves often enough.
8.2.1.3	Eye protection Wear safety glasses if splashes are likely to occur. Use full face shield if needed.
8.2.1.4	Skin protection Avoid all kinds of skin contact. Wear protective clothing if needed. Launder protective clothing and undergarments regularly.
8.2.2	Environmental exposure controls Do not allow leakage to the soil, waterways or sewer systems.
9.	PHYSICAL AND CHEMICAL PROPERTIES
9.1	General information (physical state, colour and odour) Light grey oil-like liquid (gel suspension), in which minerals may precipitate on the bottom during storage, and part of the liquid (gel suspension) becomes transparent. The product must be shaken or stirred properly before use after long-time storage until the precipitated particles are homogeneously spread in the liquid.
9.2	Important health, safety and environmental information
9.2.1	pH -
9.2.2	Boiling point/boiling range > 300 °C (572 °F)
9.2.3	Flash point > 150°C (302 °F)
9.2.4	Flammability (solid, gas) -

Trade name: RVS Technology Engine Treatment, RVS Technology Transmission Treatment, RVS Technology Gearbox Treatment, RVS Technology Differential Treatment, RVS Technology Power Steering Treatment, RVS Technology Gun Treatment, RVS Technology Professional Gel, RVS Technology Gel

Date: November 15th, 2004

Former date: March 25th, 2003

9.2.5	Explosive properties
9.2.5.1	Lower explosive limit 1 % (volume)
9.2.5.2	Upper explosive limit 10 % (volume)
9.2.6	Oxidising properties -
9.2.7	Vapour pressure below 0,5 Pa (20 °C (68 °F))
9.2.8	Relative density 830-950 kg/m ³ (15 °C (59 °F))
9.2.9	Solubility
9.2.9.1	Water solubility not soluble
9.2.9.2	Fat solubility (solvent-oil to be specified) Information not available.
9.2.10	Partition coefficient: n-octanol/water Information not available.
9.2.11	Viscosity Information not available.
9.2.12	Vapour density Information not available.
9.2.13	Evaporation rate Information not available.
9.3	Other information
10.	STABILITY AND REACTIVITY
10.1	Conditions to avoid Extremes of temperature and direct sunlight
10.2	Materials to avoid Avoid strong acids and oxidising materials.
10.3	Hazardous decomposition products -
11.	TOXICOLOGICAL INFORMATION
11.1	Acute toxicity Toxicological data have not been determined specifically for this product. Information given is based on the knowledge of the components and the information given by the manufacturers of the products of synthetic oil basis used for the suspension of this product. Dermal: LD50 above 2000 mg/kg Oral: LD50 above 2000 mg/kg Inhalation: Information not available.
11.2	Irritation and corrosiveness Slightly irritant; skin, (estimation) Slightly irritant; eyes, (estimation) Inhalation of mists may cause slight irritation of the respiratory tracks.
11.3	Sensitisation Information not available.
11.4	Sub-acute, sub-chronic and prolonged toxicity Information not available.
11.5	Empirical data on effects on humans Prolonged and/or repeated skin contact may cause defatting of the skin, which may lead to skin irritation and possibly cause dermatitis, especially under conditions of poor personal hygiene. Oil mist irritates eyes and respiratory tracts.

Trade name: RVS Technology Engine Treatment, RVS Technology Transmission Treatment, RVS Technology Gearbox Treatment, RVS Technology Differential Treatment, RVS Technology Power Steering Treatment, RVS Technology Gun Treatment, RVS Technology Professional Gel, RVS Technology Gel

Date: November 15th, 2004

Former date: March 25th, 2003

11.6 Other information on health effects

Toxicological data are based on tests made with corresponding products and components.

Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. All used oil should be handled with caution and skin contact should be avoided as far as possible.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

12.1.1 Aquatic toxicity

In practice the toxicity of the product to aquatic organisms is low, LC/EC50 > 100 mg/l (estimation).

12.1.2 Toxicity to other organisms

Information not available.

12.2 Mobility

Liquid under most environmental conditions and does not evaporate from soil or water. The product is lighter than water, and floats on it. Not soluble in water. If the product enters soil, major part of it will adsorb to soil particles but some of it may reach the groundwater surface. In anaerobic circumstances, the degradation of the product is a very slow process. Basic oil hydrocarbons may be adsorbed to organic material of soil or sediment (log Kow > 6).

12.3 Persistence and degradability

12.3.1 Biodegradation

Not readily biodegradable. The product contains components that may persist in the environment.

12.3.2 Chemical degradation

-

12.4 Bioaccumulative potential

Bioaccumulation is possible

12.5 Other adverse effects

Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products.

13. DISPOSAL CONSIDERATIONS

Waste containing the product is hazardous. To be disposed in accordance with the appropriate legislation and instructions of the appropriate authorities. When handling the waste, take into account the dangers caused by the product and take care of the necessary safety precautions, warning signs, and obligation of information.

14. TRANSPORT INFORMATION

14.1 UN number

-

14.2 Packing group

-

14.3 Land transport

14.3.1 Transport class

-

14.3.2 Risk code

-

14.3.3 Name according to bill of freight

-

14.3.4 Other information

-

14.4 Sea transport

14.4.1 IMDG class

-

14.4.2 Correct technical name

-

14.4.3 Other information

-

Trade name: RVS Technology Engine Treatment, RVS Technology Transmission Treatment, RVS Technology Gearbox Treatment, RVS Technology Differential Treatment, RVS Technology Power Steering Treatment, RVS Technology Gun Treatment, RVS Technology Professional Gel, RVS Technology Gel

Date: November 15th, 2004

Former date: March 25th, 2003

14.5	Air transport
14.5.1	ICAO/IATA class -
14.5.2	Correct technical name -
14.5.3	Other information -
15.	REGULATORY INFORMATION
15.1	Information on the warning label
15.1.1	Letter code of the warning symbol and indications of danger for the preparation -
15.1.2	Names of the ingredients given on the warning label -
15.1.3	R phrases -
15.1.4	S phrases S24 Beware of chemical getting onto skin S60 This material and its package have to be handled as hazardous waste
15.1.5	Special regulations on certain preparations -
15.2	National regulations All the components are listed in EINECS or freed.
16.	OTHER INFORMATION
16.1	List of the relevant R phrases -
16.2	Training advice -
16.3	Restrictions on use -
16.4	Further information This information has to be available for all those who handle this product. The sheet is based on the current information and has been meant to respond to the health, safety, and environmental questions related to the product. This sheet is not to be given as a guarantee of any property of the product.
16.5	Sources of key data used Estimation made on the basis of the information on the components. ZAO NPO Ruspromremont, St. Petersburg, Russia. Fortum Oil & Gas Oy/Lubricants, Finland. Axel Christiernsson Ab, Nol, Sweden. Research Institute of Geology, Finland.
16.6	Information which has been added, deleted or revised Revision of March 25 th , 2003 is based on the enactment of the Ministry Social Affairs and Health of Finland on the delivery of information on chemicals (374/2002) dated May 13 th , 2002. Revision of November 15 th , 2004 is based on a change of the materials used in the production process. Change of contact information.